



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,127	11/06/2006	Peter Anthony Campochiaro	010804-22690600	2577
78018 7590 07/24/2008				
MDIP LLC				
POST OFFICE BOX 2630				
MONTGOMERY VILLAGE, MD 20886-2630				
EXAMINER				
WANG, CHANG YU				
ART UNIT		PAPER NUMBER		
1649				
MAIL DATE		DELIVERY MODE		
07/24/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/526,127

Applicant(s)

CAMPOCHIARO ET AL.

Examiner

Chang-Yu Wang

Art Unit

1649

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-48 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-48 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SG/US)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Election/Restrictions

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 4, 16, drawn to a method for the treatment of retinal detachment or retinal edema by administering an exogenous endostatin polypeptide.

Group II, claim(s) 5-8, 17-22, 24-42, 46-47, drawn to a method for the treatment of retinal detachment or retinal edema by gene therapy of an endostatin DNA.

Group III, claim(s) 9-15, 23, 48, drawn to a method for the treatment of retinal detachment or retinal edema by implanting cells secreting endostatin.

Group IV, claim(s) 43-45, drawn to use of an endostatin for manufacture of a medicament, which is interpreted as a method of making endostatin for treatment.

2. Claims 1-3 link(s) inventions I, II and III. The restriction requirement among the linked inventions is **subject to** the nonallowance of the linking claim(s), claims 1-3. Upon the indication of allowability of the linking claim(s), the restriction requirement as to the linked inventions **shall** be withdrawn and any claim(s) depending from or otherwise requiring all the limitations of the allowable linking claim(s) will be rejoined and fully examined for patentability in accordance with 37 CFR 1.104 **Claims that**

require all the limitations of an allowable linking claim will be entered as a matter of right if the amendment is presented prior to final rejection or allowance, whichever is earlier. Amendments submitted after final rejection are governed by 37 CFR 1.116; amendments submitted after allowance are governed by 37 CFR 1.312.

Applicant(s) are advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, the allowable linking claim, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Where a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

3. The inventions listed as Groups I-IV do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The 1st claimed invention is drawn to a method for the treatment of retinal detachment or retinal edema by administering an exogenous endostatin polypeptide, which is anticipated by prior art references. WO02/30982 (published Apr 18, 2002, as in IDS submitted 2/21/06) discloses a method of using endostatin to treat different retinal and ocular disorders including macular degeneration, glaucoma, macular edema, angiogenesis, which have symptoms of retinal detachment and edema (see p. 3-5, in particular), which meets the limitation of the 1st claim. Therefore, claim 1 is anticipated by WO02/30982. Since the 1st claimed invention has no special technical feature, it

cannot share a special technical feature with the other claimed inventions. Thus, Applicant's inventions do not contribute a special technical feature when view over the prior art, they do not have a single inventive concept and so lack unity of invention.

In addition Group I is directed to a technical feature of use of an exogenous polypeptide. Group II is directed to a technical feature of use of gene therapy. Group III is directed to a technical feature of use of cell therapy. Group IV is directed to a technical feature of a method of making an endostatin.

Therefore, the above Inventions do not share a common special technical feature as they comprise different steps and utilize different products, which demonstrates that each method has a different mode of operation and use of structurally and functionally divergent materials. For example, methods for treating patients does not have a same corresponding technical feature as that in a method of making an endostatin because the patients are not required in the method of making an endostatin polypeptide. Accordingly, Groups I-IV are not so linked by the same or a corresponding special technical feature within meaning of PCT Rule 13.1 so as to form a single general inventive concept.

Species Election

4. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

i. If Group II is elected, Applicant is required under PCT Rule 13.2 to elect a single disclosed species of gp130 activator selected from A) adenovirus, B) adeno-associated virus, C) retrovirus or D) lentivirus as recited in claims 7, 17-18, 31 and 47 for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable.

5. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The technical features of these species are different because each specific species differs with respect to its composition and structures. Consequently the responses to different biomolecules are also different in these different types of cells. Therefore, these species do not share a common corresponding technical feature; and thus lack unity of invention.

6. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations

of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

MPEP § 809.02(a).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

7. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143). In order to be fully responsive, Applicant is required to elect a single group from designated Groups I-IV and a single species from group i that is applicable as set forth above to which the claims will be restricted, even though the

Art Unit: 1647

requirement is traversed. The subject matter for examination will be restricted to the extent of the subject matter of the elected group and species.

8. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

9. Any inquiry of a general nature or relating to the status of this general application should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Papers relating to this application may be submitted to Technology Center 1600, Group 1649 by facsimile transmission. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). Should applicant wish to FAX a response, the current FAX number for Group 1600 is (571) 273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chang-Yu Wang whose telephone number is (571) 272-4521. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:30 AM to 5:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Stucker, can be reached at (571) 272-0911.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Christine J Saoud/
Primary Examiner, Art Unit 1647

/CYW/
Chang-Yu Wang, Ph.D.
July 17, 2008